



WAREHOUSE SOLUTIONS

EP 22 PFR 6 – PFR 6

KEY SPECIFICATIONS

Max. Capacity: **2200 kg**
Overall length: **1855 mm**
Overall width: **688 mm**
Load centre of gravity: **600 mm**
Turning radius: **1805 mm**
Power source: **Battery**
Service weight: **601 kg**

Max. Capacity: **2200 kg**
Max. lifting height: **125 mm**
Overall length: **1855 mm**
Overall width: **688 mm**
Load centre of gravity: **600 mm**
Turning radius: **2250 mm**
Power source: **Battery**
Service weight: **630 kg**



EP 18 - 22

KEY SPECIFICATIONS

Max. Capacity: **1800 kg**
Overall length: **1739 mm**
Overall width: **680 mm**
Load centre of gravity: **600 mm**
Turning radius: **1544 mm**
Power source: **Battery**
Service weight: **480 kg**



Max. Capacity: **2000 kg**
Overall length: **1739 mm**
Overall width: **680 mm**
Load centre of gravity: **600 mm**
Turning radius: **1544 mm**
Power source: **Battery**
Service weight: **482 kg**




Max. Capacity: **2200 kg**
Overall length: **1739 mm**
Overall width: **688 mm**
Load centre of gravity: **600 mm**
Turning radius: **1665 mm**
Power source: **Battery**
Service weight: **580 kg**

EP 15 EASY -

KEY SPECIFICATIONS

Max. capacity **1500 kg**
Overall length **1670 mm**
Load centre of gravity **600 mm**
Turning radius **1400 mm**
Power source **Battery**
Service weight **220 kg**



EP 15 Lithium EASY

KEY SPECIFICATIONS

Max. Capacity: **1500 kg**
Overall length: **1670 mm**
Overall width: **568 mm**
Load centre of gravity: **600 mm**
Turning radius: **1400 mm**
Power source: **Battery**
Service weight: **190 kg**

